

**SDS Revision Date:** 

01/23/2023

## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity SAF-T-EZE REGULAR ANTI-SEIZE

**Alternate Names** Part Numbers: 80102, 80112, 80122,80125, 80127,

80137, 80153, 80155, 80157, 80158, 80160, 80161,

80165, 80178, 80189, 80199 Product Type: Lubricating Grease

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Lubricating Grease

**Application Method** See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name SAF-T-LOK International Corporation

300 EISENHOWER LANE NORTH

LOMBARD, IL 60148

**Emergency** 

CHEMTREC (USA) (800) 424-9300 24 hour Emergency Telephone No. (703) 527-3887 Customer Service: SAF-T-LOK International Corporation (630) 495-2001

## 2. Hazard identification of the product

## 2.1. Classification of the substance or mixture

Acute Tox. 5; H313 May be harmful in contact with skin (Not adopted by OSHA)

## 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

#### WARNING

## [Prevention]:

P273 Avoid release to the environment.

#### [Response]:

P391 Collect spillage.

## [Storage]:

No GHS storage statements

## [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.



SDS Revision Date:

01/23/2023

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Petroleum distillates, hydrotreated heavy napthenic CAS Number: 0064742-52-5	50 - 75	Acute Tox. 5;H313	[1]
Graphite CAS Number: 0007782-42-5	10 - 25		[1][2]
Copper CAS Number: 0007440-50-8	10-25		[1][2]
Aluminum CAS Number: 0007429-90-5	1.0-10		[1][2]

<sup>[1]</sup> Substance classified with a health or environmental hazard.

## 4. First aid measures

### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin

cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

Overview Skin Contact: Usually no effect, however, as with any chemical, prolonged, excessive, or repeated

exposure may cause mild to moderate skin irritation, exhibited by redness, drying and cracking of

unprotected skin.

Eye Contact: May irritate with slight pain and redness.

Respiratory/ Inhalation: Usually none, however, as with any chemical product, some irritation may

occur.

Ingestion: Amounts transferred to mouth by fingers, etc, during normal operation should not cause

injury.

Medical conditions generally aggravated by exposure: None known, however any chemical product

may enhance allergies already present in certain individuals.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.



**SDS Revision Date:** 

01/23/2023

This product does not require exceptional labeling due to the evaluation procedure of the "General Classification guideline for preparations of the EU". See section 2 for further details.

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, dry chemical

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: None

#### 5.3. Advice for fire-fighters

Air mask and procedures for fighting chemical fires. Do not inhale gases.

ERG Guide No. ----

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Prevent material from entering floor drains, sewers, or any bodies of water.

Scoop up into waste container or soak up with absorbent material. Store in a closed container until disposal.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

No special precautions necessary if used properly. Avoid breathing vapors. Wash hands thoroughly at mealtime and end of shift. See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Isolated storage facility/ warehouse not required. Store in a cool, dry location (60-90°F) in a well-ventilated area in original container. Keep container tightly closed when not in use.

Incompatible materials: No data available.

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

None



**SDS Revision Date:** 

01/23/2023

## 8. Exposure controls and personal protection

## 8.1. Control parameters

## **Exposure**

CAS No.	Ingredient	Source	Value
0007429-90-5 Aluminum	Aluminum	OSHA	TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp)
		ACGIH	TWA 1.0 mg/m3 Revised 2008
		NIOSH	TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp)
	Supplier	No Established Limit	
0007440-50-8 Copper		OSHA	TWA: mg/m³ [Note: the PEL also applies to other copper compounds 9as Cu) except copper fume.]
	0	ACGIH	TWA: 0.2 mg/m³ (fume) 1 mg/m³ (dusts/mists)
	Copper	NIOSH	TWA: 1 mg/m³ [Note: The REL also applies to other copper compounds (as Cu) except copper fume.]
		Supplier	No Established Limit
		OSHA	TWA 15mg/m3 TWA mppcf
0007792 42 5	Craphite	ACGIH	TWA 2 mg/m3
0007782-42-5 Graphite	Graprille	NIOSH	TWA 2.5 mg/m3 (resp)
		Supplier	No Established Limit
0064742-52-5	Petroleum distillates, hydrotreated heavy napthenic	OSHA	No Established Limit
		ACGIH	No Established Limit
0004742-32-3		NIOSH	No Established Limit
		Supplie	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

## **Carcinogen Data**

CAS No.	Ingredient	Source	Value		
0007429-90-5 Aluminum		OSHA	Select Carcinogen: No		
	NTP	Known: No; Suspected: No			
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
007440-50-8 Copper	OSHA	Select Carcinogen: No			
	NTP	Known: No; Suspected: No			
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
007782-42-5 Graphite	OSHA	Select Carcinogen: No			
	NTP	Known: No; Suspected: No			
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
0064742-52-5 Petrleum distillates, hydrotreated heavy napthenic	11.5	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			

## 8.2. Exposure controls

Respiratory

No respiratory protection required, but normal good ventilation is recommended. Forced ventilation may be required if concentrations exceed normal use exposure.



SDS Revision Date: 01/23/2023

Eyes Not required if application method is proper. Avoid contact with eyes.

**Skin** Wear overalls to keep skin contact to a minimum. Use impermeable gloves (neoprene, butyl rubber,

natural rubber), as necessary to avoid skin contact, as well as proper clothing or plastic apron. Wash

hands before eating, drinking, or using restroom.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of

local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory

protection must be worn.

Other Work Practices Eye wash stations should be located within 100 feet or 10 second walk of the work area. Use good

personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly

remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

Appearance Silver grey Paste
Odor Mild/Inoffensive
Odor threshold Not Measured
pH Not Determined
Melting point / freezing point Not Determined
Boiling point >600° F (316°C)

Flash Point 410° F (210° C) (C.O.C.)

Evaporation rate (Ether = 1) Not Determined
Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: N/A

**Upper Explosive Limit:** N/A

Vapor pressure (Pa) (mm Hg.) < 5 @ 30° F

Vapor Density N/A 1.28 **Specific Gravity** Solubility in Water Insoluble Partition coefficient n-octanol/water (Log Kow) Not Measured **Auto-ignition temperature** Not Measured **Decomposition temperature** Not Measured Viscosity (cSt) Not Measured VOC % <0.1% (cut) % Solid 35-48%

9.2. Other information

DMSO extract IP346: Less than 3.0 wt% (mineral oil component only)



**SDS Revision Date:** 

01/23/2023

## 10. Stability and reactivity

## 10.1. Reactivity

Hazardous Polymerization will not occur.

## 10.2. Chemical stability

Stable under normal circumstances.

## 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Strong oxidizing agents

## 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

None

## 11. Toxicological information

## **Acute toxicity**

Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
5,000.00 Rat – Category: 5	No data available	2,000.00, Rabbit – Category: 4	No data available	No data available
2,500.00, Rat - Category: 5	>2,000.00, Rat - Category: 5	No data available	5.11, Rat - Category: NA	No data available
No data available	No data available	No data available	No data available	No data available
No data available	No data available	No data available	No data available	No data available
	mg/kg  5,000.00 Rat – Category: 5  2,500.00, Rat - Category: 5  No data available  No data	mg/kg         mg/kg           5,000.00 Rat – Category: 5         No data available           2,500.00, Rat – Category: 5         >2,000.00, Rat – Category: 5           No data available         No data available           No data         No data	mg/kg         mg/kg         Vapor LD50, mg/L/4hr           5,000.00 Rat – Category: 5         No data available         2,000.00, Rabbit – Category: 4           2,500.00, Rat – Category: 5         >2,000.00, Rat – Category: 5         No data available           No data available         No data available         No data available           No data         No data         No data           No data         No data         No data	mg/kg     mg/kg     Vapor LD50, mg/L/4hr     Dust/Mist LD50, mg/L/4hr       5,000.00 Rat – Category: 5     No data available     2,000.00, Rabit – Category: 4     No data available       2,500.00, Rat - Category: 5     >2,000.00, Rat - Category: 5     No data available     5.11, Rat - Category: NA       No data available     No data available     No data available     No data available       No data     No data     No data available       No data     No data     No data       No data     No data     No data

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable



**SDS Revision Date:** 

01/23/2023

Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

## 12. Ecological information

## 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

## **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Petroleum distillates, hydrotreated heavy napthenic – (64742-52-5)	5,000.00 Oncorhynchus mykiss	1,000.00 Daphnia Magna	1,000.00 (96 hr), Scenedesmus subspicatus
Graphite – (7782-42-5)	Not Available	Not Available	Not Availableq
Aluminum – (7429-90-5)	Not Available	Not Available	Not Available
Copper – (7440-50-8)	0.0103, Pimephales promelas	0.0025, Daphnia magna	0.018 (72 hr), Pseudokirchneriella subcapitata

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

Not Measured

## 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

## 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.



**SDS Revision Date:** 01/23/2023

## 14. Transport information

**DOT (Domestic Surface** 

ICAO/IATA

14.1. UN number

Transportation) Not Applicable

**Transportation**) Not Regulated

IMO / IMDG (Ocean

Not Regulated

14.2. UN proper shipping

Not Regulated

Not Regulated

Not Regulated

name

14.3. Transport hazard

**DOT Hazard Class: Not** Applicable

Not Regulated

Air Class: Not Applicable

class(es)

DOT Label: ---

Not Applicable

Not Applicable

Not Applicable

14.4. Packing group

14.5. Environmental hazards

**IMDG** 

14.6. Special precautions for user

No further information

## 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed as "active" or exempt from listing on the

Control Act (TSCA) TSCA Inventory. WHMIS Classification Not Regulated

**US EPA Tier II Hazards** Fire: No

Sudden Release of Pressure: No.

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

Copper (5,000.00)

**EPCRA 302 Extremely Hazardous:** 

(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals:** 

Proposition 65 - Carcinogens (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)



**SDS Revision Date:** 

01/23/2023

## N.J. RTK Substances (>1%):

Graphite Aluminum Copper

## Penn RTK Substances (>1%):

Graphite Aluminum Copper

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. SAF-T-LOK accepts no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H313 May be harmful in contact with skin.

The information on this safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet, or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.

**End of Document**