

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 2/2023

1 Identification

- **Product identifier:** TYII-08, TYII-1G
- **Trade name:** **TYLOK® LOW TEMPERATURE LEAK DETECTOR (TYPE II)**
- **Item number(s):** TYII-08, TYII-1G
- **SDS Number:** 98
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ADDRESS:

Great Lakes Paint & Chemical
8265 Belle Vernon Drive
Novelty, OH 44072
- **Information department:** TEL: 440-338-8074
- **Emergency telephone number:**
ChemTrec (800) 424-9300 / 1-(703)-741-5970
Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard(s) identification

- **Classification of the substance or mixture:**



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to the kidneys through prolonged or repeated exposure.
- Category 2



GHS07

Acute Toxicity (Oral) - Category 4

H302 Harmful if swallowed.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS07 GHS08

- **Signal word:** Warning

- **Hazard-determining components of labeling:**

ethylene glycol

- **Hazard statements:**

H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure.

- **Precautionary statements:**

P260 Do not breathe mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

(Contd. on page 2)

CDN

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 2/2023

Trade name: TYLOK® LOW TEMPERATURE LEAK DETECTOR (TYPE II)

(Contd. of page 1)

P314 Get medical advice/attention if you feel unwell.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

107-21-1	ethylene glycol	59.956% w/w
127087-87-0	Nonylphenol, ethoxylated	0.25% w/w

- **Non-hazardous components**

1643-20-5	dodecyldimethylamine oxide	0.275% w/w
7732-18-5	water, distilled, conductivity or of similar purity	38.787% w/w

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Generally the product does not irritate the skin.
Immediately rinse with water.
- **After eye contact:**
Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.
- **After swallowing:** Call a poison center/doctor if you feel unwell. Rinse mouth.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

CDN

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 2/2023

Trade name: TYLOK® LOW TEMPERATURE LEAK DETECTOR (TYPE II)

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters:**

· **Components with limit values that require monitoring at the workplace:**

107-21-1 ethylene glycol

EL (Canada)	Short-term value: 20** mg/m ³ Long-term value: 10** mg/m ³ Ceiling limit value: 100* mg/m ³ , 50*** ppm *Aerosol; **Particulate; ***Vapour
EV (Canada)	Ceiling limit value: 100 mg/m ³
TLV (USA)	Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only
WEEL (USA)	I (2)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 2/2023

Trade name: TYLOK® LOW TEMPERATURE LEAK DETECTOR (TYPE II)

(Contd. of page 3)

- Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- **Material of gloves:**
Protective gloves not normally required. People with sensitive skin may prefer to wear water-proof gloves, such as rubber or neoprene, to avoid skin contact.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Liquid
· Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not determined.

· pH-value at 20 °C:	7
-----------------------------	---

· Change in condition

· Melting point/Melting range:	-54 °C
· Boiling point/Boiling range:	100 °C

· Flash point:	Not applicable.
-----------------------	-----------------

· Flammability (solid, gaseous):	Not applicable.
---	-----------------

· Ignition temperature:	410 °C
--------------------------------	--------

· Decomposition temperature:	Not determined.
-------------------------------------	-----------------

· Auto igniting:	Product is not selfigniting.
-------------------------	------------------------------

· Danger of explosion:	Product does not present an explosion hazard.
-------------------------------	---

· Explosion limits

· Lower:	3.2 Vol %
· Upper:	53 Vol %

· Vapor pressure at 20 °C:	23 hPa
-----------------------------------	--------

· Density at 20 °C:	1.075 g/cm ³
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate at 20 °C:	.610 (BA=1)

· Solubility in / Miscibility with

· Water:	Fully miscible.
-----------------	-----------------

· Partition coefficient (n-octanol/water):	Not determined.
---	-----------------

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 2/2023

Trade name: TYLOK® LOW TEMPERATURE LEAK DETECTOR (TYPE II)

(Contd. of page 4)

· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	38.8 %
Solids content:	0.4 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

107-21-1 ethylene glycol

Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	9,530 mg/kg (rabbit)

- **Specific symptoms in biological assay:** No further relevant information available.
- **Primary irritant effect**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems**
- **Bioaccumulative potential:** No further relevant information available.

(Contd. on page 6)

CDN

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 2/2023

Trade name: TYLOK® LOW TEMPERATURE LEAK DETECTOR (TYPE II)

(Contd. of page 5)

- **Mobility in soil:** No further relevant information available.
- **Additional ecological information**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings**
- **Recommendation:**
Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · TDG, ADN, IMDG, IATA 	Not regulated
<ul style="list-style-type: none"> · UN proper shipping name · TDG, ADN, IMDG, IATA 	Not regulated
<ul style="list-style-type: none"> · Transport hazard class(es) · TDG, ADN, IMDG, IATA · Class 	Not regulated
<ul style="list-style-type: none"> · Packing group · TDG, IMDG, IATA 	Not regulated
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user: 	Not applicable.
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: 	Not applicable.
<ul style="list-style-type: none"> · UN "Model Regulation": 	Not regulated

CDN

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 2/2023

Trade name: TYLOK® LOW TEMPERATURE LEAK DETECTOR (TYPE II)

(Contd. of page 6)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):
--

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):
--

107-21-1	ethylene glycol
----------	-----------------

3251-23-8	copper dinitrate
-----------	------------------

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:
--

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
--

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

107-21-1	ethylene glycol
----------	-----------------

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH):
--

107-21-1	ethylene glycol	A4
----------	-----------------	----

· NIOSH-Ca (National Institute for Occupational Safety and Health):
--

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).
--

· Hazard pictograms



GHS07 GHS08

· Signal word Warning

· Hazard-determining components of labeling:

ethylene glycol

· Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure.
--

· Precautionary statements

P260 Do not breathe mist/vapors/spray.
--

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
--

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

(Contd. on page 8)

CDN

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 2/2023

Reviewed on 12/10/2018

Trade name: TYLOK® LOW TEMPERATURE LEAK DETECTOR (TYPE II)

(Contd. of page 7)

P314 Get medical advice/attention if you feel unwell.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This MSDS format meets ANSI Z400.1-1998, OSHA 1910.1200 and WHMIS requirements. Tylok International, Inc provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Tylok International, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made.

· **Department issuing SDS:** Product safety department

· **Contact:** Stephen Nowicki

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

CDN